





NEFF venting hob models

NEFF venting hob models

Flex Design

Flex Design

Flex Design



N 90
Induction hob with integrated ventilation system, 80 cm, Matt black, V68YYX4B0

N 90
Induction hob with integrated ventilation system, 80 cm, Flex Design V68YYX4C0

N 70
Induction hob with integrated ventilation system, 70 cm, Flex Design V57YHQ4C0

N 70
Induction hob with integrated ventilation system, 80 cm, flush mount V58PHQ4C0

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

- **Matt Black Design:** Easy to clean, less visible fingerprints and scratches* - thanks to the matt hob finish.
- **Twist Pad Flex®:** the easy-to-spin dial for effortless control of your hob.
- **Flex Design:** personalise your hob with Twist Pad Flex® and frame elements.
- **Flex Induction:** flexible cooking zones and automatic cookware detection.
- **Extended Frying Sensor:** monitor your desired temperature to prevent burning.

- **Twist Pad Flex®:** the easy-to-spin dial for effortless control of your hob.
- **Flex Design:** personalise your hob with Twist Pad Flex® and frame elements.
- **Flex Induction:** flexible cooking zones and automatic cookware detection.
- **Extended Frying Sensor:** monitor your desired temperature to prevent burning.
- **Automatic Air Sensor** – Constantly adjusts the extraction rate to match the situation in the kitchen.

- **Twist Touch®:** control your hob with a twist of your finger.
- **Flex Design:** personalise your hob with four different frame colours.
- **Combi Induction:** combine two circular cooking zones when using large cookware.
- **High Extraction Rate** – ensures a clear view while cooking thanks to efficient motor technology.
- **Reduced Noise** – our optimised motor guarantees a quiet cooking experience.

- **Twist Touch®:** control your hob with a twist of your finger.
- **Combi Induction:** combine two circular cooking zones when using large cookware.
- **High Extraction Rate** – ensures a clear view while cooking thanks to efficient motor technology.
- **Reduced Noise** – our optimised motor guarantees a quiet cooking experience.
- **Easy-clean filters** – Easy to remove and dishwasher-safe.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-500 mm
- Width of the appliance: 834 mm
- Dimensions: 223x834x527 mm
- Dimensions of the packed product (HxWxD): 430x940x660 mm
- Net weight: 27.2 kg
- Gross weight: 31.9 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Matt black
- Color of frame: Choose from Brushed Bronze, Anthracite Grey, Deep Black or Metallic Silver
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3300.0 W

Add Twist pad and trims

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-500 mm
- Width of the appliance: 834 mm
- Dimensions: 223x834x527 mm
- Dimensions of the packed product (HxWxD): 430x940x660 mm
- Net weight: 26.4 kg
- Gross weight: 31.1 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Color of frame: Choose from Brushed Bronze, Anthracite Grey, Deep Black or Metallic Silver
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3300.0 W

Add Twist pad and trims

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 560-560 x 490-500 mm
- Width of the appliance: 714 mm
- Dimensions: 223x714x527 mm
- Dimensions of the packed product (HxWxD): 431x950x670 mm
- Net weight: 25.9 kg
- Gross weight: 30.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Color of frame: Choose from Brushed Bronze, Anthracite Grey, Deep Black or Metallic Silver
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W

Add Twist pad and trims

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Width of the appliance: 792 mm
- Dimensions: 227x792x512 mm
- Dimensions of the packed product (HxWxD): 430x950x670 mm
- Net weight: 26.1 kg
- Gross weight: 30.8 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Number of speed settings: 9-stage + 2 intensive
- Maximum output air extraction: 500 m³/h
- Boost position output recirculating: 595.0 m³/h

NEFF venting hob models



N 70
Induction hob with integrated ventilation system, 80 cm, surface mount without frame
V58NHQ4L0

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

- **Twist Touch®:** control your hob with a twist of your finger.
- **Combi Induction:** combine two circular cooking zones when using large cookware.
- **High Extraction Rate** – ensures a clear view while cooking thanks to efficient motor technology.
- **Reduced Noise** – our optimised motor guarantees a quiet cooking experience.
- **Easy-clean filters** – Easy to remove and dishwasher-safe.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 802 mm
- Dimensions: 223x802x522 mm
- Dimensions of the packed product (HxWxD): 431x950x670 mm
- Net weight: 26.5 kg
- Gross weight: 31.2 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Number of speed settings: 9-stage + 2 intensive
- Maximum output air extraction: 500 m³/h




N 70
Induction hob with integrated ventilation system, 70 cm, surface mount with frame
V57THQ4L0

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

- **Twist Touch®:** control your hob with a twist of your finger.
- **Combi Induction:** combine two circular cooking zones when using large cookware.
- **High Extraction Rate** – ensures a clear view while cooking thanks to efficient motor technology.
- **Reduced Noise** – our optimised motor guarantees a quiet cooking experience.
- **Easy-clean filters** – Easy to remove and dishwasher-safe.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 560-560 x 490-500 mm
- Width of the appliance: 710 mm
- Dimensions: 223x710x527 mm
- Dimensions of the packed product (HxWxD): 431x950x672 mm
- Net weight: 25.9 kg
- Gross weight: 30.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black, Stainless steel
- Color of frame: Stainless steel
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Number of speed settings: 9-stage + 2 intensive





N 50
Induction hob with integrated ventilation system, 80 cm, surface mount without frame
V58NBS1L0

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

- **Touch Control** – Control your hob with just one touch and a timer.
- **Combi Induction** – offers 2 individual induction cooking zones or 1 large combined induction cooking zone.
- **High Extraction Rate** – ensures a clear view while cooking thanks to efficient motor technology.
- **Reduced Noise** – our optimised motor guarantees a quiet cooking experience.
- **Easy-clean filters** – Easy to remove and dishwasher-safe.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 802 mm
- Dimensions: 223x802x522 mm
- Dimensions of the packed product (HxWxD): 431x950x672 mm
- Net weight: 24.8 kg
- Gross weight: 29.5 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Power of 5th heating element (kW): 1800.0 W
- Number of speed settings: 3-stages +



N 50
Induction hob with integrated ventilation system, 60 cm, surface mount without frame
V56NBS1L0

This induction hob with integrated ventilation combines two appliances in one for a clear view while cooking.

- **Touch Control** – Control your hob with just one touch and a timer.
- **Combi Induction** – offers 2 individual induction cooking zones or 1 large combined induction cooking zone.
- **High Extraction Rate** – ensures a clear view while cooking thanks to efficient motor technology.
- **Reduced Noise** – our optimised motor guarantees a quiet cooking experience.
- **Easy-clean filters** – Easy to remove and dishwasher-safe.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 560-560 x 490-490 mm
- Width of the appliance: 592 mm
- Dimensions: 223x592x522 mm
- Dimensions of the packed product (HxWxD): 430x690x660 mm
- Net weight: 23.0 kg
- Gross weight: 27.1 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Power of 5th heating element (kW): 1400.0 W
- Number of speed settings: 3-stages +

Nolte Venting Hob Promotion

An offer from:
Nolte

www.nolte-kuechen.com