

Siemens venting hob models

BSH Group is a Trademark Licensee of Siemens AG



SIEMENS

Siemens venting hob models

studioLine

studioLine

studioLine



iQ700
Induction hob with integrated ventilation system, 80 cm, surface mount with frame EX870NX68E

iQ700
Induction hob with integrated ventilation system, 80 cm, Matt black, EX87BNX68E

iQ700
Induction hob with integrated ventilation system, 80 cm, flush mount EX800NX68E

iQ700
Induction hob with integrated ventilation system, 80 cm, surface mount with frame EX875LX67E

Design hob with a fully integrated, totally flush air-inlet.

- diamondProtect- Keeps your hob looking new and pristine, resisting everyday scratches.
- Blue dual lightSlider – Elegant touch and slide control.
- flexInduction – Smart cooking zone that adapts to your cookware.
- fryingSensor Plus – No more burning or scorching your meals.
- climateControl Sensor – Monitors steam and smells, adjusts the power level automatically.

Design hob with a fully integrated, totally flush air-inlet.

- **Matt Edition:** Less visible scratches*, fewer fingerprints, quick streak-free cleaning
- flexInduction – Smart cooking zone that adapts to your cookware.
- Blue dual lightSlider – Elegant touch and slide control.
- climateControl Sensor – Monitors steam and smells, adjusts the power level automatically.
- fryingSensor Plus – No more burning or scorching your meals.

Design hob with a fully integrated, totally flush air-inlet.

- diamondProtect- Keeps your hob looking new and pristine, resisting everyday scratches.
- Blue dual lightSlider – Elegant touch and slide control.
- flexInduction – Smart cooking zone that adapts to your cookware.
- fryingSensor Plus – No more burning or scorching your meals.
- climateControl Sensor – Monitors steam and smells, adjusts the power level automatically.

Design hob with a fully integrated, totally flush air-inlet.

- Dual light slider – Just touch and slide to control your hob.
- flexInduction – Smart cooking zone that adapts to your cookware.
- climateControl Sensor – Monitors steam and smells, adjusts the power level automatically.
- fryingSensor Plus – No more burning or scorching your meals.
- **cookingSensor Plus ready:** the supplementary available sensor prevents overboiling thanks to precise temperature control.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 812 mm
- Dimensions: 223x812x520 mm
- Dimensions of the packed product (HxWxD): 430x950x660 mm
- Net weight: 27.3 kg
- Gross weight: 32.0 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3300.0 W
- Number of speed settings: 17-stage + 2 intensive
- Maximum output air extraction: 500 m³/h

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 812 mm
- Dimensions: 223x812x520 mm
- Dimensions of the packed product (HxWxD): 440x940x660 mm
- Net weight: 26.9 kg
- Gross weight: 31.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Matt black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3300.0 W
- Number of speed settings: 17-stage + 2 intensive
- Maximum output air extraction: 500 m³/h

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Width of the appliance: 792 mm
- Dimensions: 227x792x512 mm
- Dimensions of the packed product (HxWxD): 430x950x660 mm
- Net weight: 26.9 kg
- Gross weight: 31.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3300.0 W
- Number of speed settings: 17-stage + 2 intensive
- Maximum output air extraction: 500 m³/h
- Boost position output recirculating: 595.0 m³/h

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 812 mm
- Dimensions: 223x812x520 mm
- Dimensions of the packed product (HxWxD): 430x950x660 mm
- Net weight: 28.9 kg
- Gross weight: 33.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black, Stainless steel
- Color of frame: Stainless steel
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3300.0 W
- Number of speed settings: 17-stage + 2 intensive

Siemens venting hob models



iQ500
Induction hob with integrated ventilation system, 80 cm, surface mount without frame
ED851HQ26E

Design hob with a fully integrated, totally flush air-inlet.

- combiZone – Connect two induction zones together for large cookware.
- **touchSlider**: control the power level with a touch of your finger.
- The inductionAir Plus guarantees minimal noise without compromising on suction power.
- Easy cleaning – Minimal cleaning effort for your built-in extractor.
- **Home Connect**: integrate your hob into your intelligent kitchen.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 802 mm
- Dimensions: 223x802x522 mm
- Dimensions of the packed product (HxWxD): 431x950x672 mm
- Net weight: 25.3 kg
- Gross weight: 30.0 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Number of speed settings: 9-stage + 2 intensive
- Maximum output air extraction: 500 m³/h





iQ500
Induction hob with integrated ventilation system, 70 cm, surface mount without frame
ED711HQ26E

Design hob with a fully integrated, totally flush air-inlet.

- combiZone – Connect two induction zones together for large cookware.
- **touchSlider**: control the power level with a touch of your finger.
- The inductionAir Plus guarantees minimal noise without compromising on suction power.
- Easy cleaning – Minimal cleaning effort for your built-in extractor.
- **Home Connect**: integrate your hob into your intelligent kitchen.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 560-560 x 490-490 mm
- Width of the appliance: 710 mm
- Dimensions: 223x710x522 mm
- Dimensions of the packed product (HxWxD): 430x950x660 mm
- Net weight: 24.9 kg
- Gross weight: 29.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Number of speed settings: 9-stage + 2 intensive
- Maximum output air extraction: 500 m³/h




iQ300
Induction hob with integrated ventilation system, 80 cm, surface mount without frame
ED811BS16E

Design hob with a fully integrated, totally flush air-inlet.

- combiZone enables you to cook with large pots and roasting pans.
- touchControl makes the control of your cooktop especially convenient, just by the touch of a finger.
- The inductionAir Plus guarantees minimal noise without compromising on suction power.
- Easy cleaning – Minimal cleaning effort for your built-in extractor.
- powerBoost – Increases the power of an induction zone by up to 50%.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 802 mm
- Dimensions: 223x802x522 mm
- Dimensions of the packed product (HxWxD): 430x940x660 mm
- Net weight: 25.9 kg
- Gross weight: 30.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Power of 5th heating element (kW): 1800.0 W
- Number of speed settings: 3-stages +



iQ300
Induction hob with integrated ventilation system, 80 cm, surface mount without frame
ED811BS16E

Design hob with a fully integrated, totally flush air-inlet.

- combiZone enables you to cook with large pots and roasting pans.
- touchControl makes the control of your cooktop especially convenient, just by the touch of a finger.
- The inductionAir Plus guarantees minimal noise without compromising on suction power.
- Easy cleaning – Minimal cleaning effort for your built-in extractor.
- powerBoost – Increases the power of an induction zone by up to 50%.

Technical Data

- Product name/family: Cooking zone ceramic
- Built-in / Free-standing: Built-in
- Energy input: Electric
- Total number of positions that can be used at the same time: 4
- Required niche size for installation (HxWxD): 223 x 750-750 x 490-490 mm
- Width of the appliance: 802 mm
- Dimensions: 223x802x522 mm
- Dimensions of the packed product (HxWxD): 430x940x660 mm
- Net weight: 25.9 kg
- Gross weight: 30.6 kg
- Residual heat indicator: Separate
- Location of control panel: Front
- Basic surface material: Ceramic
- Color of surface: Black
- Length electrical supply cord: 110 cm
- Sealed Burners: No
- heating with booster: All
- Power of 2nd heating element (kW): 3600.0 W
- Power of 5th heating element (kW): 1800.0 W
- Number of speed settings: 3-stages +

Nolte Venting Hob Promotion

An offer from:
Nolte

www.nolte-kuechen.com